



Accessories

PRODUCT CATALOGUE



Sprinkler Guards, Shields

Model	Finish	Suited For	Part Number	Data Sheet
G1 Sprinkler Guard	Red Painted	Compatible with Y-B, TY-FRB, TY-L, TY-FRL, AquaMist AM6*	56-938-1-001	TFP780
	Zinc Chromate		56-938-9-001	
	Stainless Steel		56-938-0-001	
G2 Sprinkler Guard	Red Painted	Compatible with ELO-231, ELO-231B, ELO-231FRB*	56-000-1-087	
	Zinc Chromate		56-000-1-086	
G4 Sprinkler Guard	Red Painted	Compatible with Y-B, TY-FRB, TY-L, TY-FRL,*	56-937-1-001	
	Zinc Chromate		56-937-9-001	
G5 Sprinkler Guard	Zinc Chromate	Compatible with DS-1, DS-1 Stainless Steel*	56-938-9-000	
G6 Sprinkler Guard	Red Painted	Compatible with K1I-231B, K1I-231FRB *	56-000-1-085	
	Zinc Chromate		56-000-1-084	
G1/S1 SprinklerGuard with Shield	Red Painted	Compatible with Y-B, TY-FRB*	56-938-1-066	
	Zinc Chromate		56-938-9-066	
G4/S3 Sprinkler Guard with Shield	Red Painted	Compatible with TY-L, TY-FRL*	56-937-1-066	
	Zinc Chromate		56-937-9-066	
G6/S3 Sprinkler Guard with Shield	Red Painted	Compatible with K1I-231B, K1I-231FRB*	56-000-1-095	
	Zinc Chromate		56-000-1-094	
WSG-2 Sprinkler Guard with Shield	Red Painted	Compatible with ELO-231, ELO-231B, ELO-231FRB*	56-000-1-098	
	Zinc Chromate		56-000-1-097	
S2 Sprinkler Shield	Plated Steel 1/2"	Compatible with Y-B, TY-FRB* Includes S2 Shield and one O-Ring	56-070-9-332	
	Plated Steel 3/4"		56-070-9-342	
S4 Sprinkler Shield	Plain Brass 1/2"	Compatible with TY-FRL* Includes S4 Shield and two O-Rings	56-952-1-001	
	Plated Steel 3/4"		56-152-1-001	
	Chrome Plated 3/4"		56-152-9-001	
S5 Sprinkler Shield	Brass 1/2"	Compatible with TY-L* Includes S5 Shield and two O-Rings.	56-015-6-802	
WS-2 Sprinkler Shield	Red Painted 1/2"	Compatible with ELO-231, ELO-231B, ELO-231FRB*	56-000-1-081	
	Red Painted 3/4"		56-000-1-083	
	Zinc Coated 1/2"		56-000-1-080	
	Zinc Coated 3/4"		56-000-1-082	
ES-1 Sprinkler Shields	Red Painted	Compatible with ESFR-14 ESFR-17	58-000-1-003	TFP784
	Zinc Coating		58-000-1-002	
ES-2 Sprinkler Shields	Red Painted	Compatible with ESFR-22, ESFR-25	58-000-1-006	
	Zinc Coating		58-000-1-005	
EG-25 Sprinkler Guard	Red Painted	Compatible with ESFR-22, ESFR-25	56-949-1-025	
	Zinc Coating		56-949-9-025	
EG-25+ Sprinkler Guard	Red Painted	Compatible with ESFR-22, ESFR-25	56-969-1-025	
	Zinc Coating		56-969-9-025	

*Sprinkler guards and shields are not available in all materials for all models. Please refer to the latest technical data sheet for current availability, or contact us for confirmation.



Rapid Install Sprinkler Adapters

Model	Finish	Suited For	Part Number	Data Sheet
TF-1 Rapid Install Adapter	Gloss Black Coated Steel	Compatible with ESFR-22, ESFR-25 - 1" Female NPT to Female RIS	56-888-0-105	TFP743
TF-2 Rapid Install Adapter		Compatible with ESFR-22, ESFR-25 - 1" Female ISO to Female RIS	56-888-0-108	
TF-3 Rapid Install Adapter	Gloss Black Coated Steel	Compatible with ESFR-22, ESFR-25 - 1" Male NPT to Female RIS	56-888-0-103	TFP741
TF-4 Rapid Install Adapter		Compatible with ESFR-22, ESFR-25 - 1" Male ISO to Female RIS	56-888-0-106	
TF-5 Rapid Install Adapter	Gloss Black Coated Steel	Compatible with ESFR-22, ESFR-25 - 1" Female NPT to Male RIS	56-888-0-104	TFP742
TF-6 Rapid Install Adapter		Compatible with ESFR-22, ESFR-25 - 1" Female ISO to Male RIS	56-888-0-107	



DataSheet
TFP780

▲
Back to Table
of Contents



DataSheet
TFP784



DataSheet
TFP743



DataSheet
TFP741



DataSheet
TFP742



Sprinkler Installation Tools and Parts



Model	Suited For	Part Number
Sprinkler Guard Installation Tool		56-000-8-597
Weld nose cone	For aligning the RIS welded fitting and pipe	56-888-0-002
Cover Plate Installation Tool	For LFII and RFII concealed sprinklers	56-000-1-300
Protective Cap Utility Tool	For TY2524, TY3531, TY3532, TY3551, TY3596 sprinklers	91-201-1-015
Air and Dust Seal		56-908-1-001
RIS Welded Fitting Plug Assembly		56-888-0-102
RIS Welded Fitting Powder Coating Plug		56-888-0-106
RIS Welding Alignment Cone		56-888-0-002
ESFR RIS Gasket		91-448-1-001
Replacement O-Ring	Model S4 Sprinkler Shield Replacement O-Ring	62-578-1-118
Pipe Guide Bracket accessory	3/4 in. (DN20)	91-520-115
	1 in. (DN25)	91-520-1-117
DSB-2 Dry Sprinkler Boot	Includes one boot, two strap ties, and 1/3 oz of adhesive	63-000-0-002
Insulating Seal Assembly Kit	Insulating Seal Assembly kit, Insulation Ring, Insert, Housing, Screws	91-106-1-500
Paint Cap	RAVEN Studio Sprinkler Paint Cap	56-100-0-354
RAVEN Studio Installation Tool	Finished Surface	56-100-0-355
	Rough-in	56-100-0-365
RAVEN Studio Sprinkler Thread Adapter, Brass	Short 3/4 in. (19 mm)	91-310-0-075P
	Standard 1 in. (25 mm)	91-310-0-100P
	Medium 1-1/2 in. (38 mm)	91-310-0-150P
	Long 2 in. (50 mm)	91-310-0-200P
CPVC Sprinkler Adapter Fitting	90° Elbow	82198
	Tee	82251
Parts for Installation in Concrete	Model 1781 Centering Grommet for installation in concrete	56-000-1-781
	Model 1780 Retaining Flange with Set Screws for installation in concrete	56-000-1-780
	Adjustment Spacer Ring for use with RAVEN Institutional Sprinklers	56-000-1-755
Spacers for Vertical Adjustment	Model 1752 Spacers for use with Style B-1 and C Institutional Escutcheons	56-000-1-752
Parts for Installation in Concrete With Type A Escutcheon	Model 1753 Recessed Cup for use with Style A Escutcheon for installation in concrete	56-000-1-753
	Model 1290-8 Pipe Plug With Shoulder for use with Style A Escutcheon for installation in concrete	56-001-2-908
	Model 1754 Pipe Support for use with Style A Escutcheon for installation in concrete	56-000-1-754

Installation Wrenches/Tools

Model	Suited For Sprinkler Type	Part Number
Protective Removal Tool	TY-QRF, LFII (Pendent)	56-000-4-300
W-Type 1	EC-25, ESFR-25 Pendent, ESFR 22	56-872-1-025
W-Type 2	ESFR-1 (TY-6226)	56-872-1-001
W-Type 3	EC-8/11/14, EPEC, SW-20/24, LD, ELO-231, ELO-231B/FRB, BBI-3	56-895-1-001
W-Type 6	TY-B/FRB, EC-5, CC2, LFII, TY-FS/FRFS, EC-HS	56-000-6-387
W-Type 7 (Recessed Sprinkler)	EC-5, CHEC, DS-1 (s/s), LFII, TY-FS/FRFS	56-850-4-001
W-Type 8	K17-231, Ultra K17, DS-3	56-892-1-001
W-Type 9	TY-L/ & TY-FRL	56-000-1-849
W-Type 10 (Recessed Sprinkler)	TY-L, LFII	56-000-1-948
W-Type 11	Issue D - TY3191 /3296 /4191/ 4291	56-452-1-001
W-Type 12 (Recessed Sprinkler)	TY-FRL - TY1221 / TY3221	56-798-1-001
W-Type 17	DS-2	56-010-4-118
W-Type 18	ILLUSION, ELOC, LFII	56-000-1-265
W-Type 20	WS, CC1	56-000-1-106
W-Type 21	ESFR-17 Pendent, Upright (TY6226, TY7126)	56-001-0-686
W-Type 22 (Recessed Sprinkler)	EC-11/14	56-665-7-001
W-Type 23 (Recessed Sprinkler)	EC-8	56-000-6-838
W-Type 25	RAVEN, FSC	56-314-1-001
W-Type 26	ESFR-17 Dry Pendent	56-341-1-001
W-Type 34	ESFR-14 (TY6236)	56-462-1-001
W-Type 35	ESFR-17 Pendent (TY7223)	56-463-1-001
W-Type 37	RFII	56-320-1-015
W-Type 41	Alignment Tool	56-888-0-001
RFII Wrench	RFII	56-000-1-075
Socket for LFII (TY2384)	LFII Flush HSW Socket	56-000-4-949
Guard Installation Tool	G1, G4	56-000-8-597

Wax Sticks (For retouching wrench damaged wax coating)

Model	Suited For	Part Number
Black	for 135°F (57°C)	56-065-1-135
Red	for 155°F (68°C)	56-065-1-155
Yellow	for 175°F (79°C)	56-065-1-175
Blue	for 200°F (93°C) and 286°F (141°C)	56-065-1-286



Protective Paint Caps and Recessed Escutcheons

Model	Suited For Sprinkler Type	Part Number	Data Sheet
Protective Paint Cap Model Z-84	Suitable for use with the Style 10, 15, 20, 30, 40, or 70 Recessed Escutcheon	56-711-1-084	TFP770
Protective Paint Cap Model Z-392	Suitable for use with the Style 50 Recessed Escutcheon	92-000-0-412	

Recessed Escutcheon 10 1/2 in. NPT (15 mm), 3/4 in. (19,1 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass Plated	Pure White (RAL9010)	Signal White (RAL9003)	Jet Black (RAL9005)	Chrome Plated	
56-701-2-010	56-701-3-010	56-701-4-010	56-701-6-010	56-701-9-010	
Compatible with Stainless Steel pendent and horizontal sidewall.					
Signal White (RAL9003)	Plain Unpolished	Grey Aluminum (RAL9007)			
56-701-0-010	56-701-1-010	56-701-7-010			

Recessed Escutcheon 15 1/2 in. NPT (15 mm), 5/8 in. (15,9 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass Plated	Pure White (RAL9010)	Signal White (RAL9003)	Jet Black (RAL9005)	Chrome Plated	
56-715-2-010	56-715-3-010	56-715-4-010	56-715-6-010	56-715-9-010	
Compatible with Stainless Steel pendent and horizontal sidewall.					
Signal White (RAL9003)					
56-715-0-010					

Recessed Escutcheon 20 1/2 in. NPT (15 mm), 1/2 in. (12,7 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass Plated	Pure White (RAL9010)	Signal White (RAL9003)	Jet Black (RAL9005)	Chrome Plated	
56-705-2-010	56-705-3-010	56-705-4-010	56-705-6-010	56-705-9-010	
Compatible with Stainless Steel pendent and horizontal sidewall.					
Signal White (RAL9003)	Plain Unpolished				
56-705-0-010	56-705-1-010				

Recessed Escutcheon 30 3/4 in. NPT (20 mm), 1/2 in. (12,7 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass Plated	Pure White (RAL9010)	Signal White (RAL9003)	Jet Black (RAL9005)	Chrome Plated	
56-705-2-011	56-705-3-011	56-705-4-011	56-705-6-011	56-705-9-011	
Compatible with Stainless Steel pendent and horizontal sidewall.					
Signal White (RAL9003)	Plain Unpolished				
56-705-0-011	56-705-1-011				

Recessed Escutcheon 40 3/4 in. NPT (20 mm), 3/4 in. (19,1 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass Plated	Pure White (RAL9010)	Signal White (RAL9003)	Jet Black (RAL9005)	Chrome Plated	
56-700-2-010	56-700-3-010	56-700-4-010	56-700-6-010	56-700-9-010	
Compatible with Stainless Steel pendent and horizontal sidewall.					
Signal White (RAL9003)	Plain Unpolished	Grey Aluminum (RAL9007)			
56-700-0-010	56-700-1-010	56-700-7-010			

Recessed Escutcheon 50 1/2 in. NPT (15 mm), 3/8 in. (9,5 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass Plated	Pure White (RAL9010)	Signal White (RAL9003)		Chrome Plated	
56-711-2-010	56-711-3-010	56-711-4-010		56-711-9-010	
Compatible with Stainless Steel pendent and horizontal sidewall.					
Signal White (RAL9003)	Plain Unpolished				
56-711-0-010	56-711-1-010				

Recessed Escutcheon 70 For TY-B and TY-FRB 10 mm 3/8 in. NPT (10 mm), 3/4 in. (9,1 mm) total adjustment					TFP770
Compatible with carbon steel pendent and horizontal sidewall.					
Brass		Signal White (RAL9003)	Jet Black (RAL9005)	Chrome Plated	
ECPL2PB10		ECPL2PW10	ECPL2PBL10	ECPL2PC10	
Compatible with Stainless Steel pendent and horizontal sidewall.					
	Plain Unpolished				
	ECPL2PS10				



DataSheet
TFP770

Back to Table
of Contents



Recessed Escutcheons

Model	Suited For Sprinkler Type	Part Number	Data Sheet
Style 65 One-Piece Flush Escutcheon			TFP777
1/2 In. NPT			
Chrome Plated	Signal White (RAL9003)	Brass Plated	
1153	1174	1150	
3/4 In. NPT			
Chrome Plated	Signal White (RAL9003)	Brass Plated	
1152	1175	1184	

Style 401 Two-Piece Deep Escutcheon – Separately ordered Cup and Skirt components

[TFP777](#)

Cup – Two-Piece Deep Escutcheon Cup			TFP777
1/2 In. NPT			
Chrome Plated	Signal White (RAL9003)	Brass Plated	
1192	1196	1194	
3/4 In. NPT			
Chrome Plated	Signal White (RAL9003)	Brass Plated	
1193	1197	1195	

Skirt – Style 401 Two-Piece Deep Escutcheon

[TFP777](#)

Chrome Plated	Signal White (RAL9003)	Brass Plated	
1198	1200	1199	

Recessed Escutcheons

Model	Suited For Sprinkler Type	Part Number	Data Sheet
Style 60 Two-Piece Flush Escutcheon			TFP778
3/4 In. NPT			
Chrome	Signal White (RAL9003)	Brass	Signal White (RAL9003) over Stainless Steel
208102	208104	208107	208108



Sprinkler Cabinets

Model	Finish	NPT Threaded Sprinkler Size	Part Number	Data Sheet
6 Sprinkler Cabinet	Carbon Steel	1/2, 3/4	1119	TFP785
12 Sprinkler Cabinet		1/2, 3/4	1124	
6 ESFR Sprinkler Cabinet		3/4, 1	1111	
6 ESFR-34 Sprinkler Cabinet		3/4, 1, 1 1/4	11125	



DataSheet
TFP777

▲
Back to Table
of Contents



DataSheet
TFP778



DataSheet
TFP785

Nozzle Accessories

DDS Duct Deluge System

Model	Suited For	Data Sheet
DDS Duct Deluge System	For The Protection of Ventilation Ductwork Handling Corrosive Gases	TFP870

Blow-off Plugs

Model	Orifice Size	Blow-Off Plug Style	Part Number	Data Sheet
Open Sprinklers	1/2 in. (5.6K)	E	56-320-1-005	TFP890
	17/32 in. (8.0K)	N	56-320-1-010	
Model D3 Nozzle	NO. 16	A	56-320-1-001	
	NO. 18	K	56-320-1-009	
	NO. 21	J	56-320-1-008	
	NO. 24	I	56-320-1-007	
	NO. 28	H	56-320-1-006	
	NO. 32	E	56-320-1-005	
	NO. 34	D	56-320-1-004	



DataSheet
TFP870

Back to Table
of Contents



DataSheet
TFP890





Fire Factory Australia is an active distributor of TYCO Fire Protection Products.

For ordering and enquiries, please [contact](#) our team.

For the latest information on product specifications, certifications, approvals, and technical details, always refer to the Tyco product datasheets.

Our experienced team is available to assist you in selecting the most suitable Nozzles for your project and to provide professional, project-specific advice.

Fire Factory Australia

Unit 2/2 Parramatta Rd, Granville NSW 2142, Australia

P: (02)9756 0087

E: sales@firefactory.com.au

W: www.firefactory.com.au

Product specifications, approvals, and availability are subject to change without notice. Always refer to the latest Tyco Fire Protection Products datasheets for complete and current information.